

Drive system parts



Image	Name	Productnumber
	aircraft cable galv. 7x7 3 mm x 500m	
	Length (m): 100	40001003
	Length (m): 500	40010006
	Length (m): 1000	40010003
	Lead edge tube clip	
	PU (Pcs): 1, Version: S	22000099-1
	PU (Pcs): 1, Version: L	22000200-1
	PU (Pcs): 100, Version: S	22000099
	PU (Pcs): 100, Version: L	22000199
	PU (Pcs): 500, Version: S	22000100
	PU (Pcs): 1000, Version: L	22000201
	PU (Pcs): 3000, Version: L	22000200




Image	Name	Productnumber
	Lead edge cable clip 19 EXT - bolt M4 x 16 excluded	
	PU (Pcs): 1	21100102-1
	PU (Pcs): 250	21100102
	Cable clamp	
	Size (mm): Ø 2	24100801
	Size (mm): Ø 3	24100800
	Sealing bracket for 2 mm inox wire	M-21100120
	aircraft cable black poly coated 1x7 1,7- 2,5mm	
	Length (m): 1	40025027
	Length (m): 500	40025026
	Length (m): 1000	40025025





Image	Name	Productnumber
	Wire guide u fits screenprofile	
	PU (Pcs): 500	03100500
	crints, oval	
	PU (Pcs): 100	24100900
	PU (Pcs): 1000	24100903
	aircraft cable INOX 7x7	
	Length (m): 500	40110004
	Length (m): 1000	40110003
	Screen Hooks	
	PU: 1000	20200100



Image	Name	Productnumber
	Wire guide clip - for 19 mm tube	
	Length (mm): 13	22000330
	Length (mm): 38	22000331
	Length (mm): 44	22000334
	Truss clip, stainless steel	
	Size (mm): 20, VPE:: 1000	24500100
	Size (mm): 20, VPE:: 1	24500100-1
	Size (mm): 25, VPE:: 1000	24500101
	Size (mm): 30, VPE:: 1000	24500102
	Size (mm): 35, VPE:: 1000	24500105
	Size (mm): 35, VPE:: 1	24500105-1
	Size (mm): 40, VPE:: 1000	24500103
	Size (mm): 50, VPE:: 1000	24500104
	Size (mm): 50, VPE:: 1	24500104-1
	Size (mm): 60, VPE:: 1000	24500106
	Size (mm): 60, VPE:: 1	24500106-1




Image	Name	Productnumber
	<p>Diabolo roll 27.32</p>	
	<p>PU (Pcs): 1</p>	<p>22000121-1</p>
	<p>PU (Pcs): 1000</p>	<p>22000121</p>
	<p>Spring for slip joint</p>	
	<p>PU (Pcs): 1, Version: soft</p>	<p>21100111-1</p>
	<p>PU (Pcs): 1, Version: hard</p>	<p>21100114-1</p>
	<p>PU (Pcs): 50, Version: soft</p>	<p>21100111</p>
	<p>PU (Pcs): 50, Version: hard</p>	<p>21100114</p>
	<p>Wire tightener 50.50 with complete winding</p>	
	<p>PU (Pcs): 1</p>	<p>25250050-1</p>
	<p>PU (Pcs): 100</p>	<p>25250050</p>



Image	Name	Productnumber	
	<p>Clip tube PVC</p>		
	<p>Length (cm): 305, PU (Pcs): 50</p>	<p>41000305</p>	
	<p>Length (cm): 305, PU (Pcs): 1</p>	<p>41000305-1</p>	
	<p>Length (cm): 320, PU (Pcs): 1</p>	<p>41000320-1</p>	
	<p>Length (cm): 365, PU (Pcs): 50</p>	<p>41000365</p>	
	<p>Length (cm): 365, PU (Pcs): 1</p>	<p>41000365-1</p>	
	<p>Length (cm): 400, PU (Pcs): 50</p>	<p>41000400</p>	
	<p>Length (cm): 400, PU (Pcs): 1</p>	<p>41000400-1</p>	
	<p>Length (cm): 450, PU (Pcs): 50</p>	<p>41000450</p>	
	<p>Length (cm): 450, PU (Pcs): 1</p>	<p>41000450-1</p>	
	<p>Length (cm): 500, PU (Pcs): 50</p>	<p>41000500</p>	
	<p>Length (cm): 500, PU (Pcs): 1</p>	<p>41000500-1</p>	
		<p>Pulley 40 (TGU) with splint bracket</p>	
		<p>PU (Pcs): 1</p>	<p>01500300-1</p>
<p>PU (Pcs): 100</p>		<p>01500300</p>	





Image	Name	Productnumber
	Alu-clamp /19 mm upper part	
	PU (Pcs): 1	03200300-1
	PU (Pcs): 100	03200300
	Wire guide clip uni - PU = 50 pcs	22000332
	cross clamp 19.20 mm	M-22000145
	Lead edge cable clip 19 - with cloth retainer - PU = 20 pcs	20100100




Image	Name	Productnumber
	cable pulley 62.52.6 - ball bearing	
	PU (Pcs): 1	04200103-1
	PU (Pcs): 25	04200103
	Lead edge cable clip S 19	
	PU (Pcs): 1	21100099-1
	PU (Pcs): 100	21100099
	PU (Pcs): 500	21100101
	Ventilation clamp	
	PU (Pcs): 1	03200401-1
	PU (Pcs): 150	03200401





Image	Name	Productnumber
	<p>Cable drum 1" - type I - Motion range 570 cm without hardware</p>	
	<p>PU (Pcs): 12</p>	<p>21100103</p>
	<p>Slide 19-25 mm</p>	
	<p>PU (Pcs): 1</p>	<p>22000106-1</p>
	<p>PU (Pcs): 100</p>	<p>22000106</p>
	<p>G1 universal fastener (6-9 mm) - 3 drills</p>	
	<p>PU (Pcs): 1</p>	<p>24000300-1</p>
	<p>PU (Pcs): 200</p>	<p>24000300</p>
	<p>Table clamp 27.40</p>	




Image	Name	Productnumber
	PU (Pcs): 1	03100224-1
	PU (Pcs): 200	03100224
	Grommet 4.8	
	PU (Pcs): 1	22000130-1
	PU (Pcs): 1000	22000130
	Cable pulley 100 for wires until 20 mm	
	PU (Pcs): 1	04200110-1
	PU (Pcs): 120	04200110
	Cable pulley 100, double ball bearing for wires until 9 mm	
	PU (Pcs): 1	04200125-1
	PU (Pcs): 84	04200125




Image	Name	Productnumber
	S-hook, galvanized	
	Size (mm): 45/30	24045030
	Size (mm): 45/45	24045045
	Size (mm): 45/50	24045050
	Alu-clamp 35 mm - completed with bolt M6 x 35	
	PU (Pcs): 1, Version: 26 mm - complete	03200000-1
	PU (Pcs): 100, Version: 26 mm - complete	03200000
	Roll support universal for 27+32 tubes	03200040
	Cable pulley 52/8 - Ball bearing or Plain bearing	
	PU: 1, Version:: Ball bearing	04200099-1




Image	Name	Productnumber
	PU: 1, Version:: Plain bearing	04300099-1
	PU: Box, Version:: Ball bearing	04200099
	PU: Box, Version:: Plain bearing	04300099
	Cable drum 1" - Typ II for tube 33,4 mm - Motion range 570 cm	
	PU (Pcs): 1	21199103-1
	PU (Pcs): 12	21199103
	Wire tightener (for retightening)	
	PU (Pcs): 1	25250061-1
	PU (Pcs): 100	25250061
	Slip joint incl. 1 spring f. screenprofil	
	PU (Pcs): 1, Version: Alu-Tube	21100105-1
	PU (Pcs): 1, Version: Screen profile	21100107-1





Image	Name	Productnumber
	PU (Pcs): 100, Version: Alu-Tube	21100105
	PU (Pcs): 100, Version: Screen profile	21100107
	crints, round - PU = 100 pcs.	24100901
	KST-Lager 1" 50/50	
	PU (Pcs): 1	21050050-1
	PU (Pcs): 25	21050050
	Upper wire guide clip - PU = 50 pcs	22000333
	Pulley with hook - PU = 5 pcs	01500100




Image	Name	Productnumber
	<p>Inox-wire 2 mm, 1300 Nm 1 roll ca. 30 Kg = 1200 m</p>	
	<p>PU: 30 kg - 1200 m</p>	<p>40200035</p>
	<p>PU: 5 kg - 200 m</p>	<p>40200005</p>
	<p>Mounting bracket for tube motor 10 mm</p>	<p>33100059</p>
	<p>Cable pulley 90 with universal clamp 50.50</p>	
	<p>PU (Pcs): 1, Version: H (Rear mounting)</p>	<p>25250073-1</p>
	<p>PU (Pcs): 1, Version: UF (Under mounting / Front mounting)</p>	<p>25250172-1</p>
	<p>PU (Pcs): 20, Version: H (Rear mounting)</p>	<p>25250073</p>
	<p>PU (Pcs): 25, Version: UF (Under mounting / Front mounting)</p>	<p>25250172</p>




Image	Name	Productnumber
	Ventilation clamp	
	PU (Pcs): 1	03200400-1
	PU (Pcs): 150	03200400
	Cable Pulley 90/8 with clamp - double ball bearing	
	PU: 1	04400096-1
	PU: Box	04400096
	Table clamp 27.60	
	PU (Pcs): 1	03100222-1
	PU (Pcs): 200	03100222




Image	Name	Productnumber
	wire support bracket 50.50	
	PU (Pcs): 1	25150050-1
	PU (Pcs): 200	25150050
	Truss clamp	
	PU (Pcs): 1, Size (mm): 60	24100050-1
	PU (Pcs): 1, Size (mm): 70	24100060
	PU (Pcs): 1, Size (mm): 80	24100070-1
	PU (Pcs): 100, Size (mm): 60	24100050
	PU (Pcs): 100, Size (mm): 70	24100060-1
	PU (Pcs): 100, Size (mm): 80	24100070
	Cable pulley with clamp 2.2	
	PU (Pcs): 1	04050050-1



Image	Name	Productnumber
	PU (Pcs): 25	04050050
	Alu-clamp 35 mm / lower part	
	PU (Pcs): 1, Version: 26 mm - Buttom	03200126-1
	PU (Pcs): 1, Version: 35 mm - Buttom	03200135-1
	PU (Pcs): 100, Version: 26 mm - Buttom	03200126
	PU (Pcs): 100, Version: 35 mm - Buttom	03200135
	4 bearing shaft support 2"	
	PU (Pcs): 16, Version: long	25100103
	PU (Pcs): 20, Version: short	25100102
	Version: long	25100103-1
	Version: short	25100102-1




Image	Name	Productnumber
	<p>Grease waterproof 400 g - PU = 24 pcs</p>	<p>95206000</p>
	<p>Cable pulley 100, double ball bearing</p>	
	<p>PU (Pcs): 1</p>	<p>04200104-1</p>
	<p>PU (Pcs): 84</p>	<p>04200104</p>
	<p>Cable pulley 100 with universal clamp 50.50</p>	
	<p>PU (Pcs): 1, Version: UF (Under mounting / Front mounting)</p>	<p>25250070-1</p>
	<p>PU (Pcs): 20, Version: H (Rear mounting)</p>	<p>25250071</p>
	<p>PU (Pcs): 25, Version: UF (Under mounting / Front mounting)</p>	<p>25250070</p>
	<p>Version: H (Rear mounting)</p>	<p>25250071-1</p>




Image	Name	Productnumber
	Cable Pulley 75/8 with clamp - double ball bearing	
	PU: 1	04400097-1
	PU: Box	04400097
	Cable drum - type III - Motion range 570 cm	
	PU (Pcs): 1, Version: 34 mm / 1"	21198103-1
	PU (Pcs): 1, Version: 60,6 mm / 2"	21198105-1
	PU (Pcs): 1, Version: 63 mm	21198114-1
	PU (Pcs): 12, Version: 34 mm / 1"	21198103
	PU (Pcs): 12, Version: 50,05 mm / 1,5 "	21198104
	PU (Pcs): 12, Version: 60,6 mm / 2"	21198105
	PU (Pcs): 12, Version: 63 mm	21198114
	Hose clamp 12-22 mm Pack	




Image	Name	Productnumber
	PU (Pcs): 1	72300100-1
	PU (Pcs): 100	72300100
	4 bearing shaft support 1"	
	PU (Pcs): 1, Version: long	25100104-1
	PU (Pcs): 20, Version: long	25100104
	PU (Pcs): 36, Version: short	25100101
	Wire-tightener, galvanized -	
	PU (Pcs): 1, Size (mm): 86	24100200-1
	PU (Pcs): 1, Size (mm): 115	24100202-1
	PU (Pcs): 100, Size (mm): 115	24100202
	Cable Pulley Ø 52 mm / Ø 4 mm - with steel bracket	
	PU: 1, Version:: Ball bearing	04400098-1




Image	Name	Productnumber
	PU: Box, Version:: Ball bearing	04400098
	Cable pulley 100 with clamp - Wires until 9 mm	
	PU (Pcs): 1	04200126-1
	PU (Pcs): 25	04200126
	Cable pulley 52/4	
	PU: 1, Version:: Ball bearing	04200098-1
	PU: 1, Version:: Plain bearing	04300098-1
	PU: Box, Version:: Ball bearing	04200098
	PU: Box, Version:: Plain bearing	04300098
	Offset bearing 1" - 55/34	
	PU (Pcs): 1	21055034-1
	PU (Pcs): 25	21055034





Image	Name	Productnumber
	<p>Ridder pinion house unit RSD 250-40/RR - PU = 12 pcs</p>	<p>32200026</p>
	<p>Bolted chain coupling for RW45 - tube</p>	<p>37037100</p>
	<p>FRM50-tube motor-50-12- 230</p>	<p>33100052</p>
	<p>Ridder - Limit Switch</p>	
	<p>Version: RSU 50</p>	<p>32200024</p>
	<p>Version: RSU 90</p>	<p>32200023</p>




Image	Name	Productnumber
	<p>Delay</p>	
	<p>PU (Pcs): 1</p>	<p>03220100-1</p>
	<p>PU (Pcs): 36</p>	<p>03220100</p>
	<p>Tube mount reduction set TGU - cross clamp, slide, hose clamp (2x)</p>	
	<p>PU (Pcs): 1</p>	<p>22000109-1</p>
	<p>PU (Pcs): 100</p>	<p>22000109</p>
	<p>diabolo-roll 27.32 with stamped metal housing</p>	
	<p>PU (Pcs): 1</p>	<p>04200400-1</p>
	<p>PU (Pcs): 50</p>	<p>04200400</p>




Image	Name	Productnumber
	<p>Cable Pulley 140/4 - with ball bearing or plain bearing</p>	
	<p>PU: 1, Version:: Ball bearing</p>	<p>04200095-1</p>
	<p>PU: 1, Version:: Plain bearing</p>	<p>04300095-1</p>
	<p>PU: Box, Version:: Ball bearing</p>	<p>04200095</p>
	<p>PU: Box, Version:: Plain bearing</p>	<p>04300095</p>
	<p>Tube-rack coupling plates - for rack 16 mm for tube</p>	<p>32211632</p>
	<p>coupling unit PH40\B27x1.5\ST - to connect rack PH 40-3 with push-pull tube d. 27 mm</p>	
	<p>Size Ø: 27</p>	<p>32300100</p>
	<p>Size Ø: 32</p>	<p>32300099</p>





Image	Name	Productnumber
	Poly-wire, clear	40102001
	Diaboloroll for 42 mm tube, black	04200120
	Sleeve coupling P26.5	32300200
	Table clamp 32.60	
	PU (Pcs): 1	03100223-1
	PU (Pcs): 180	03100223






Image	Name	Productnumber
	<p>Grease waterproof 1 L</p>	<p>32200009</p>
	<p>Grease waterproof 400 g.</p>	<p>32200011</p>
	<p>Tube motor RB50E+3.5 - 230\50\VK10\B50\L772</p>	<p>33100067</p>
	<p>weld/sleeve coupling P26.5\B5/4"\ST\L44mm\WELD</p>	<p>32300098</p>
	<p>Poly -wire, black</p>	<p>40102004</p>





Image	Name	Productnumber
	<p>Mounting plate 85-105/H90 / 417636</p>	<p>32111203</p>
	<p>Tube motor Ridder RB120-11-44\230\1\50\36 - 230V, 120 Nm</p>	<p>33100120</p>
	<p>TRN 520-3S-H60 Geh</p>	<p>32400160</p>
	<p>Bolted chain coupling f. RW45</p>	
	<p>Version: Tube Ø 1 "</p>	<p>37039100</p>
	<p>Version: Tube Ø 5/4 "</p>	<p>32039125</p>





Image	Name	Productnumber
	Cable pulley 100 with universal clamp 2" x 2"	
	PU (Pcs): 1	25250077-1
	PU (Pcs): 20	25250077
	Tube motor RB50-3.5-13\230\1\50/60\38\16 - 230 V	33100066
	Mounting bracket for tube motor 16 mm	33100064
	Rack 40-3\ Ridder RSD 250 and TU 21-40	
	Length (mm): 2941	32102959
	Length (mm): 3142	32103160
	Length (mm): 3594	32103966








Image	Name	Productnumber
	Length (mm): 3946	32103965
	Length (mm): 4147	32104166
	Length (mm): 4448	32104467
	Length (mm): 4499	32104500
	Length (mm): 4939	32104970
	Cable pulley 75/8	M-04300097
	RPU 24V\4-20mA\V2\SET	32200027
	Cable drum 1" - type IV - Motion range	
	Capacity: 1550 cm, PU (Pcs): 12	21198101
	Capacity: 1550 cm, PU (Pcs): 1	21198101-1
	Capacity: 570 cm, PU (Pcs): 12	21198102
	Capacity: 570 cm, PU (Pcs): 1	21198102-1

Image	Name	Productnumber
	Diabolo roll 27.32 - with stamped metal bracket sideguides	
	PU (Pcs): 1	04200300-1
	PU (Pcs): 50	04200300
	Motor gearbox RW 245 400-460Volt/3-Phase/3 rpm	32435380
	Weld/sleeve coupling 1" - for 1" - tubular shaft P26.5\B1\L40\WELD	32300103
	Handle (200 mm) for manual gear R8 and R16	25000502
	Lock EWA 12.2505 / 250 Nm / 400 V - 4,4 rpm - We 06	31147725