

Greenhouse technology




Image	Name	Productnumber
	aircraft cable galv. 7x7 3 mm x 500m	
	Length (m): 100	40001003
	Length (m): 500	40010006
	Length (m): 1000	40010003
	Cloth clip 22.3.3 for up to 3 mm wire + screen profile	
	Color: black, PU: 2000	22000101
	Color: black, PU: 100	22001102
	Color: white, PU: 100	22001101
	S-hooks - type 2, UV resistant	
	PU (Pcs): 100	22000115
	PU (Pcs): 2500	22000116



Image	Name	Productnumber
	Lead edge tube clip	
	PU (Pcs): 1, Version: S	22000099-1
	PU (Pcs): 1, Version: L	22000200-1
	PU (Pcs): 100, Version: S	22000099
	PU (Pcs): 100, Version: L	22000199
	PU (Pcs): 500, Version: S	22000100
	PU (Pcs): 1000, Version: L	22000201
	PU (Pcs): 3000, Version: L	22000200
	S-hooks - type 3, UV resistant	
	Color: black, PU (Pcs): 100	22000114
	Color: black, PU (Pcs): 2500	22000118
	Color: black, PU (Pcs): 14000	22000119




Image	Name	Productnumber
	Tube Clip 19 mm	
	PU: 100	23000105
	PU: 2000	23000104
	Lead edge cable clip 19 EXT - bolt M4 x 16 excluded	
	PU (Pcs): 1	21100102-1
	PU (Pcs): 250	21100102
	Tube clip 17 mm	
	PU (Pcs): 1	22000103-1
	PU (Pcs): 2000	22000103




Image	Name	Productnumber
	Cable clamp	
	Size (mm): Ø 2	24100801
	Size (mm): Ø 3	24100800
	Cloth clip, inox	M-02810009
	Sealing bracket for 2 mm inox wire	M-21100120
	aircraft cable black poly coated 1x7 1,7- 2,5mm	
	Length (m): 1	40025027
	Length (m): 500	40025026
	Length (m): 1000	40025025





Image	Name	Productnumber
	Wire guide u fits screenprofile	
	PU (Pcs): 500	03100500
	crints, oval	
	PU (Pcs): 100	24100900
	PU (Pcs): 1000	24100903
	aircraft cable INOX 7x7	
	Length (m): 500	40110004
	Length (m): 1000	40110003
	Counter weighthers, galvanized with poly clips 400 pcs (200 sets) - 4,5 cm long - package unit = 200x Set (400x pcs)	32555101




Image	Name	Productnumber
	<p>Screen Hooks</p>	
	<p>PU: 1000</p>	<p>20200100</p>
	<p>Wire guide clip - for 19 mm tube</p>	
	<p>Length (mm): 13</p>	<p>22000330</p>
	<p>Length (mm): 38</p>	<p>22000331</p>
	<p>Length (mm): 44</p>	<p>22000334</p>
	<p>TGU-cloth clip</p>	
	<p>PU (Pcs): 1</p>	<p>22002001-1</p>
	<p>PU (Pcs): 500</p>	<p>22002000</p>
	<p>PU (Pcs): 5000</p>	<p>22002001</p>



Image	Name	Productnumber
	Truss clip, stainless steel	
	Size (mm): 20, VPE:: 1000	24500100
	Size (mm): 20, VPE:: 1	24500100-1
	Size (mm): 25, VPE:: 1000	24500101
	Size (mm): 30, VPE:: 1000	24500102
	Size (mm): 35, VPE:: 1000	24500105
	Size (mm): 35, VPE:: 1	24500105-1
	Size (mm): 40, VPE:: 1000	24500103
	Size (mm): 50, VPE:: 1000	24500104
	Size (mm): 50, VPE:: 1	24500104-1
	Size (mm): 60, VPE:: 1000	24500106
	Size (mm): 60, VPE:: 1	24500106-1
	Diabolo roll 27.32	
	PU (Pcs): 1	22000121-1
	PU (Pcs): 1000	22000121





Image	Name	Productnumber
	<p>Cloth clip inox 3.8</p>	
	<p>PU (Pcs): 100</p>	<p>98200201</p>
	<p>PU (Pcs): 1000</p>	<p>98200200</p>
	<p>ISK bolts M4 x 16 steel galv. DIN 912 8.8 - PU = 500 pcs</p>	<p>42004016</p>
	<p>Lead edge elbow fits 19</p>	
	<p>PU (Pcs): 1</p>	<p>22000102-1</p>
	<p>PU (Pcs): 250</p>	<p>22000102</p>
	<p>tube clip, stainless</p>	
	<p>PU (Pcs): 1</p>	<p>28000101-1</p>




Image	Name	Productnumber
	PU (Pcs): 500	28000102
	Spring for slip joint	
	PU (Pcs): 1, Version: soft	21100111-1
	PU (Pcs): 1, Version: hard	21100114-1
	PU (Pcs): 50, Version: soft	21100111
	PU (Pcs): 50, Version: hard	21100114
	Pinion house unit for rack Ridder	
	Version: TU11-22	32210022
	Version: TU11-30	32210030
	Version: TU6-22	32210008
	Version: TU6-30	32210007
	Lead edge connector 19 L	




Image	Name	Productnumber
	PU (Pcs): 1, Version: S	22000104-1
	PU (Pcs): 1, Version: L	22000105-1
	PU (Pcs): 250, Version: S	22000104
	PU (Pcs): 300, Version: L	22000105
	Window connector for TU11-22 + TU11-30PU = 10 pcs	32200101
	Wire tightener 50.50 with complete winding	
	PU (Pcs): 1	25250050-1
	PU (Pcs): 100	25250050
	Clip tube PVC	
	Length (cm): 305, PU (Pcs): 50	41000305
	Length (cm): 305, PU (Pcs): 1	41000305-1
	Length (cm): 320, PU (Pcs): 1	41000320-1



Image	Name	Productnumber
	Length (cm): 365, PU (Pcs): 50	41000365
	Length (cm): 365, PU (Pcs): 1	41000365-1
	Length (cm): 400, PU (Pcs): 50	41000400
	Length (cm): 400, PU (Pcs): 1	41000400-1
	Length (cm): 450, PU (Pcs): 50	41000450
	Length (cm): 450, PU (Pcs): 1	41000450-1
	Length (cm): 500, PU (Pcs): 50	41000500
	Length (cm): 500, PU (Pcs): 1	41000500-1
	Pulley 40 (TGU) with splint bracket	
	PU (Pcs): 1	01500300-1
	PU (Pcs): 100	01500300
	Alu-clamp /19 mm upper part	
	PU (Pcs): 1	03200300-1
	PU (Pcs): 100	03200300





Image	Name	Productnumber
	Wire guide clip uni - PU = 50 pcs	22000332
	Wire tightener compact version for roll up	
	PU (Pcs): 1, Version: Sendzimier galvanised	25250060-1
	PU (Pcs): 100, Version: Stainless Steel	25250066
	PU (Pcs): 200, Version: Sendzimier galvanised	25250060
	cross clamp 19.20 mm	M-22000145
	PH 66 B FP	




Image	Name	Productnumber
	Width (cm):: 335	19166341
	Width (cm):: 430	19166342
	Lead edge cable clip 19 - with cloth retainer - PU = 20 pcs	20100100
	Vent pulley unit	
	PU (Pcs): 1	22000128-1
	PU (Pcs): 50	22000128
	aluminum tubes 19 mm x 6,40 m	
	Length (cm): 600, PU: loose	36019600
	Length (cm): 640, PU: loose	36019640
	Length (cm): 640, PU: Bunch	36019641





Image	Name	Productnumber
	cable pulley 62.52.6 - ball bearing	
	PU (Pcs): 1	04200103-1
	PU (Pcs): 25	04200103
	Lead edge cable clip S 19	
	PU (Pcs): 1	21100099-1
	PU (Pcs): 100	21100099
	PU (Pcs): 500	21100101
	T-bolts INOX M6x15 16/7/2 - PU = 1000 pcs	03526015
	Ventilation clamp	





Image	Name	Productnumber
	PU (Pcs): 1	03200401-1
	PU (Pcs): 150	03200401
	Bolts M 6 x 30 with nuts for steel tube 27.32 - PU = 50 pcs	42100200
	Hose clamp, plastic - R60- 65 / width: 13 mm - Color: Black - PU = 40 pcs	22000137
	Cable drum 1" - type I - Motion range 570 cm without hardware	
	PU (Pcs): 12	21100103
	Slide 19-25 mm	
	PU (Pcs): 1	22000106-1
	PU (Pcs): 100	22000106





Image	Name	Productnumber
	<p>G1 universal fastener (6-9 mm) - 3 drills</p>	
	<p>PU (Pcs): 1</p>	<p>24000300-1</p>
	<p>PU (Pcs): 200</p>	<p>24000300</p>
	<p>T-bolts M6x75 galvanized - PU = 50 pcs</p>	<p>03500105</p>
	<p>T-bolts M6x40 galvanized - PU = 100 pcs</p>	<p>03500102</p>
	<p>Table clamp 27.40</p>	
	<p>PU (Pcs): 1</p>	<p>03100224-1</p>
	<p>PU (Pcs): 200</p>	<p>03100224</p>




Image	Name	Productnumber
	Grommet 4.8	
	PU (Pcs): 1	22000130-1
	PU (Pcs): 1000	22000130
	Pillow block 1" with bearing	
	Bearing: 6207 ZZ	24000100
	Bearing: SB 207	24000101
	Cable pulley 100 for wires until 20 mm	
	PU (Pcs): 1	04200110-1
	PU (Pcs): 120	04200110



Image	Name	Productnumber
	Air Transfer Gasket with back-flow flap	
	PU (Pcs): 1	21100499-1
	PU (Pcs): 40	21100499
	Cable pulley 100, double ball bearing for wires until 9 mm	
	PU (Pcs): 1	04200125-1
	PU (Pcs): 84	04200125
	Cable track	
	Größe:: 10x10, Version:: Startclip	33201100
	Größe:: 10x10, Version:: 204 mm	33201101
	Größe:: 10x10, Version:: Endclip	33201102
	Größe:: 10x10, Version:: 1020 mm	33201103
	Größe:: 10x16, Version:: 204 mm	33201106
	Größe:: 10x16, Version:: Startclip	33201107
	Größe:: 10x16, Version:: Endclip	33201108
	Größe:: 20x20, Version:: 1190 mm	33202020
	Größe:: 20x20, Version:: Endclip	33202022



Image	Name	Productnumber
	Größe:: 20x20, Version:: Startclip	33202051
	Größe:: 20x50, Version:: Startclip	33202021
	Größe:: 20x50, Version:: 1190 mm	33202050
	S-hook, galvanized	
	Size (mm): 45/30	24045030
	Size (mm): 45/45	24045045
	Size (mm): 45/50	24045050
	Alu-clamp 35 mm - completed with bolt M6 x 35	
	PU (Pcs): 1, Version: 26 mm - complete	03200000-1
	PU (Pcs): 100, Version: 26 mm - complete	03200000
	Roll support universal for 27+32 tubes	03200040


Image	Name	Productnumber
	Rack 30-3 \Ridder TU11-30	
	Length (mm): 691, Version: Straight	32300900
	Length (mm): 792, Version: Straight	32300899
	Length (mm): 892, Version: Straight	32300898
	Length (mm): 1043, Version: Straight	32301048
	Length (mm): 1043, Version: Curved, inside toothed	32311048
	Length (mm): 1043, Version: Curved, outside toothed	32321048
	Length (mm): 1244, Version: Straight	32301250
	Length (mm): 1244, Version: Curved, inside toothed	32311250
	Length (mm): 1244, Version: Curved, outside toothed	32321250
	Length (mm): 1345, Version: Straight	32301350
	Length (mm): 1345, Version: Curved, inside toothed	32311350
	Length (mm): 1345, Version: Curved, outside toothed	32321350
	Length (mm): 1445, Version: Straight	32301451

Image	Name	Productnumber
	Length (mm): 1445, Version: Curved, inside toothed	32311451
	Length (mm): 1445, Version: Curved, outside toothed	32321451
	Length (mm): 1546, Version: Straight	32301551
	Length (mm): 1546, Version: Curved, inside toothed	32311551
	Length (mm): 1546, Version: Curved, outside toothed	32321551
	Length (mm): 1646, Version: Straight	32301652
	Length (mm): 1646, Version: Curved, inside toothed	32311652
	Length (mm): 1646, Version: Curved, outside toothed	32321652
	Length (mm): 1747, Version: Straight	32301752
	Length (mm): 1747, Version: Curved, inside toothed	32311752
	Length (mm): 1847, Version: Straight	32301852
	Length (mm): 1847, Version: Curved, inside toothed	32311852
	Length (mm): 1847, Version: Curved, outside toothed	32321852
	Length (mm): 1948, Version: Straight	32301953
	Length (mm): 1948, Version: Curved, inside toothed	32311953
	Length (mm): 1948, Version: Curved, outside toothed	32321953


Image	Name	Productnumber
	Length (mm): 2048, Version: Straight	32302051
	Length (mm): 2249, Version: Straight	32302249
	Length (mm): 2450, Version: Straight	32302300
	Length (mm): 3204, Version: Straight	32303204
	Length (mm): 4210, Version: Straight	32304210
	Length (mm): 5316, Version: Straight	32305316
	Slide bearing plate B1"	
	Length: B062\L092, Version: Straight	32250062
	Length: B067\L097, Version: Straight	32250067
	Length: B070\L100, Version: Right-angled	32251070
	Length: B072\L102, Version: Straight	32250072
	Length: B077\L107, Version: Straight	32250077
	Length: B080\L110, Version: Right-angled	32251080
	Length: B090\L120, Version: Right-angled	32251090


Image	Name	Productnumber
	Length: B097\L127, Version: Straight	32250097
	Length: B100\L130, Version: Right-angled	32251100
	Length: B107\L137, Version: Straight	32250107
	Length: B117\L147, Version: Straight	32250117
	Length: B153\L183, Version: Right-angled	32251153
	Length: B158\L188, Version: Straight	32250158
	Length: B167\L197, Version: Straight	32250167
	Length: B178\L208, Version: Straight	32250178
	Length: B187\L217, Version: Straight	32250187
	TGU shaft hanger-set	
	PU (Pcs): 1	24100501
	PU (Pcs): 25	24100500




Image	Name	Productnumber
	diabolo roll big	22000150
	Cable pulley 52/8 - Ball bearing or Plain bearing	
	PU: 1, Version:: Ball bearing	04200099-1
	PU: 1, Version:: Plain bearing	04300099-1
	PU: Box, Version:: Ball bearing	04200099
	PU: Box, Version:: Plain bearing	04300099
	Cable drum 1" - Typ II for tube 33,4 mm - Motion range 570 cm	
	PU (Pcs): 1	21199103-1
	PU (Pcs): 12	21199103




Image	Name	Productnumber
	<p>Jumper hose D-63 mm, grey</p>	<p>21100494</p>
	<p>Tube connectors halves 1" - incl. 4 bolts M8 x 45</p>	
	<p>PU: 1</p>	<p>03032646</p>
	<p>PU: 25</p>	<p>03032645</p>
	<p>Bracket plastic angle</p>	
	<p>Version: Typ II - (45°)</p>	<p>22200003</p>
	<p>Version: Type I - (60°)</p>	<p>22200002</p>
	<p>Version: Type III - (30°)</p>	<p>22200004</p>
	<p>Version: Type IV - (80°)</p>	<p>22200005</p>




Image	Name	Productnumber
	Wire tightener (for retightening)	
	PU (Pcs): 1	25250061-1
	PU (Pcs): 100	25250061
	Slip joint incl. 1 spring f. screenprofil	
	PU (Pcs): 1, Version: Alu-Tube	21100105-1
	PU (Pcs): 1, Version: Screen profile	21100107-1
	PU (Pcs): 100, Version: Alu-Tube	21100105
	PU (Pcs): 100, Version: Screen profile	21100107
	Teks-bolt galv. 5,5 x 19 DIN 7504K - PU = 1000 pcs	42000101





Image	Name	Productnumber
	<p>crints, round - PU = 100 pcs.</p>	<p>24100901</p>
	<p>KST-Lager 1" 50/50</p>	
	<p>PU (Pcs): 1</p>	<p>21050050-1</p>
	<p>PU (Pcs): 25</p>	<p>21050050</p>
	<p>Upper wire guide clip - PU = 50 pcs</p>	<p>22000333</p>
	<p>Pulley with hook - PU = 5 pcs</p>	<p>01500100</p>



Image	Name	Productnumber
	<p>Alu-Support plate 40</p>	<p>24100603</p>
	<p>Inox-wire 2 mm, 1300 Nm 1 roll ca. 30 Kg = 1200 m</p>	
	<p>PU: 30 kg - 1200 m</p>	<p>40200035</p>
	<p>PU: 5 kg - 200 m</p>	<p>40200005</p>
	<p>Mounting bracket for tube motor 10 mm</p>	<p>33100059</p>
	<p>Cable pulley 90 with universal clamp 50.50</p>	
	<p>PU (Pcs): 1, Version: H (Rear mounting)</p>	<p>25250073-1</p>
	<p>PU (Pcs): 1, Version: UF (Under mounting / Front mounting)</p>	<p>25250172-1</p>




Image	Name	Productnumber
	PU (Pcs): 20, Version: H (Rear mounting)	25250073
	PU (Pcs): 25, Version: UF (Under mounting / Front mounting)	25250172
	Ventilation clamp	
	PU (Pcs): 1	03200400-1
	PU (Pcs): 150	03200400
	screenprofile I - L = 6,40 m	
	PU: Bunch	37000641
	PU: loose	37000640
	Telescopic rod pole inc. plastic pole hook - ready mounted	05102003





Image	Name	Productnumber
	<p>Cable Pulley 90/8 with clamp - double ball bearing</p>	
	<p>PU: 1</p>	<p>04400096-1</p>
	<p>PU: Box</p>	<p>04400096</p>
	<p>Guiding unit for tube motor RB40 /50/ TGU</p>	<p>33100200</p>
	<p>Pinion house protection cover 2-parts - incl. bolts 42000418 (4x) - PU = 25 pcs</p>	<p>32200006</p>
	<p>Table clamp 27.60</p>	
	<p>PU (Pcs): 1</p>	<p>03100222-1</p>
	<p>PU (Pcs): 200</p>	<p>03100222</p>


Image	Name	Productnumber
	Rack 22-3 \ Ridder TU11-22	
	Length (mm): 390, Version: Straight	32200395
	Length (mm): 490, Version: Straight	32200495
	Length (mm): 490, Version: Curved, inside toothed	32220495
	Length (mm): 591, Version: Straight	32200596
	Length (mm): 591, Version: Curved, inside toothed	32220596
	Length (mm): 591, Version: Curved, outside toothed	32230596
	Length (mm): 691, Version: Straight	32200696
	Length (mm): 691, Version: Curved, inside toothed	32220696
	Length (mm): 691, Version: Curved, outside toothed	32230696
	Length (mm): 741, Version: Straight	31201701
	Length (mm): 741, Version: Curved, inside toothed	31201703
	Length (mm): 792, Version: Straight	32200797
	Length (mm): 792, Version: Curved, inside toothed	32220797


Image	Name	Productnumber
	Length (mm): 892, Version: Straight	32200898
	Length (mm): 892, Version: Curved, inside toothed	32220898
	Length (mm): 892, Version: Curved, outside toothed	32230898
	Length (mm): 1043, Version: Straight	32201048
	Length (mm): 1043, Version: Curved, outside toothed	32231048
	Length (mm): 1244, Version: Curved, outside toothed	32231250
	Length (mm): 1345, Version: Straight	32201350
	Length (mm): 1445, Version: Straight	32201451
	Length (mm): 1445, Version: Curved, inside toothed	32221451
	Length (mm): 1445, Version: Curved, outside toothed	32231451
	Length (mm): 1546, Version: Straight	32201551
	Length (mm): 1646, Version: Straight	32201652
	Bolts M 10 x 25 steel galv. DIN 933 - PU = 100 pcs	42100112




Image	Name	Productnumber
	<p>wire support bracket 50.50</p>	
	<p>PU (Pcs): 1</p>	<p>25150050-1</p>
	<p>PU (Pcs): 200</p>	<p>25150050</p>
	<p>Truss clamp</p>	
	<p>PU (Pcs): 1, Size (mm): 60</p>	<p>24100050-1</p>
	<p>PU (Pcs): 1, Size (mm): 70</p>	<p>24100060</p>
	<p>PU (Pcs): 1, Size (mm): 80</p>	<p>24100070-1</p>
	<p>PU (Pcs): 100, Size (mm): 60</p>	<p>24100050</p>
	<p>PU (Pcs): 100, Size (mm): 70</p>	<p>24100060-1</p>
	<p>PU (Pcs): 100, Size (mm): 80</p>	<p>24100070</p>
	<p>Cable pulley with clamp 2.2</p>	
	<p>PU (Pcs): 1</p>	<p>04050050-1</p>








Image	Name	Productnumber
	PU (Pcs): 25	04050050
	Bolts M 8 x 60 steel galv. DIN 933 - PU = 100 pcs	42100109
	Plug 19 mm - black - PU = 100 pcs	22000668
	Alu-clamp 35 mm / lower part	
	PU (Pcs): 1, Version: 26 mm - Buttom	03200126-1
	PU (Pcs): 1, Version: 35 mm - Buttom	03200135-1
	PU (Pcs): 100, Version: 26 mm - Buttom	03200126
	PU (Pcs): 100, Version: 35 mm - Buttom	03200135

Image	Name	Productnumber
	<p>Caliber - PU = 100 pcs.</p>	<p>67100002</p>
	<p>Eye- bolt Art. 48 M6x20 galv. - PU = 100 pcs</p>	<p>42100124</p>
	<p>Bolting strip 2.2, with bolts M6x10 (DIN 913) - PU = 100 pcs</p>	<p>03200310</p>
	<p>4 bearing shaft support 2"</p>	
	<p>PU (Pcs): 16, Version: long</p>	<p>25100103</p>
	<p>PU (Pcs): 20, Version: short</p>	<p>25100102</p>
	<p>Version: long</p>	<p>25100103-1</p>
	<p>Version: short</p>	<p>25100102-1</p>