

Top ventilation

Image	Name	Productnumber
	Diabolo roll 27.32	
	PU (Pcs): 1	22000121-1
	PU (Pcs): 1000	22000121
	Pinion house unit for rack Ridder	
	Version: TU11-22	32210022
	Version: TU11-30	32210030
	Version: TU6-22	32210008
	Version: TU6-30	32210007
	Window connector for TU11-22 + TU11-30 PU = 10 pcs	32200101



Image	Name	Productnumber
	Snapper 1,5 - PU = 1000 pcs	22000110
	Pillow block 1" with bearing	
	Bearing: 6207 ZZ	24000100
	Bearing: SB 207	24000101
	diabolo roll big	22000150
	Rack 30-3 \Ridder TU11-30	
	Length (mm): 691, Version: Straight	32300900
	Length (mm): 792, Version: Straight	32300899

Image	Name	Productnumber
	Length (mm): 892, Version: Straight	32300898
	Length (mm): 1043, Version: Straight	32301048
	Length (mm): 1043, Version: Curved, inside toothed	32311048
	Length (mm): 1043, Version: Curved, outside toothed	32321048
	Length (mm): 1244, Version: Straight	32301250
	Length (mm): 1244, Version: Curved, inside toothed	32311250
	Length (mm): 1244, Version: Curved, outside toothed	32321250
	Length (mm): 1345, Version: Straight	32301350
	Length (mm): 1345, Version: Curved, inside toothed	32311350
	Length (mm): 1345, Version: Curved, outside toothed	32321350
	Length (mm): 1445, Version: Straight	32301451
	Length (mm): 1445, Version: Curved, inside toothed	32311451
	Length (mm): 1445, Version: Curved, outside toothed	32321451
	Length (mm): 1546, Version: Straight	32301551
	Length (mm): 1546, Version: Curved, inside toothed	32311551
	Length (mm): 1546, Version: Curved, outside toothed	32321551

Image	Name	Productnumber
	Length (mm): 1646, Version: Straight	32301652
	Length (mm): 1646, Version: Curved, inside toothed	32311652
	Length (mm): 1646, Version: Curved, outside toothed	32321652
	Length (mm): 1747, Version: Straight	32301752
	Length (mm): 1747, Version: Curved, inside toothed	32311752
	Length (mm): 1847, Version: Straight	32301852
	Length (mm): 1847, Version: Curved, inside toothed	32311852
	Length (mm): 1847, Version: Curved, outside toothed	32321852
	Length (mm): 1948, Version: Straight	32301953
	Length (mm): 1948, Version: Curved, inside toothed	32311953
	Length (mm): 1948, Version: Curved, outside toothed	32321953
	Length (mm): 2048, Version: Straight	32302051
	Length (mm): 2249, Version: Straight	32302249
	Length (mm): 2450, Version: Straight	32302300
	Length (mm): 3204, Version: Straight	32303204
	Length (mm): 4210, Version: Straight	32304210

Image	Name	Productnumber
	Length (mm): 5316, Version: Straight	32305316
	Slide bearing plate B1"	
	Length: B062\L092, Version: Straight	32250062
	Length: B067\L097, Version: Straight	32250067
	Length: B070\L100, Version: Right-angled	32251070
	Length: B072\L102, Version: Straight	32250072
	Length: B077\L107, Version: Straight	32250077
	Length: B080\L110, Version: Right-angled	32251080
	Length: B090\L120, Version: Right-angled	32251090
	Length: B097\L127, Version: Straight	32250097
	Length: B100\L130, Version: Right-angled	32251100
	Length: B107\L137, Version: Straight	32250107
	Length: B117\L147, Version: Straight	32250117
	Length: B153\L183, Version: Right-angled	32251153


Image	Name	Productnumber
	Length: B158\L188, Version: Straight	32250158
	Length: B167\L197, Version: Straight	32250167
	Length: B178\L208, Version: Straight	32250178
	Length: B187\L217, Version: Straight	32250187
	Alu-Support plate 40	24100603
	Pinion house protection cover 2-parts - incl. bolts 42000418 (4x) - PU = 25 pcs	32200006
	Rack 22-3 \ Ridder TU11-22	
	Length (mm): 390, Version: Straight	32200395
	Length (mm): 490, Version: Straight	32200495
	Length (mm): 490, Version: Curved, inside toothed	32220495

Image	Name	Productnumber
	Length (mm): 591, Version: Straight	32200596
	Length (mm): 591, Version: Curved, inside toothed	32220596
	Length (mm): 591, Version: Curved, outside toothed	32230596
	Length (mm): 691, Version: Straight	32200696
	Length (mm): 691, Version: Curved, inside toothed	32220696
	Length (mm): 691, Version: Curved, outside toothed	32230696
	Length (mm): 741, Version: Straight	31201701
	Length (mm): 741, Version: Curved, inside toothed	31201703
	Length (mm): 792, Version: Straight	32200797
	Length (mm): 792, Version: Curved, inside toothed	32220797
	Length (mm): 892, Version: Straight	32200898
	Length (mm): 892, Version: Curved, inside toothed	32220898
	Length (mm): 892, Version: Curved, outside toothed	32230898
	Length (mm): 1043, Version: Straight	32201048
	Length (mm): 1043, Version: Curved, outside toothed	32231048
	Length (mm): 1244, Version: Curved, outside toothed	32231250

Image	Name	Productnumber
	Length (mm): 1345, Version: Straight	32201350
	Length (mm): 1445, Version: Straight	32201451
	Length (mm): 1445, Version: Curved, inside toothed	32221451
	Length (mm): 1445, Version: Curved, outside toothed	32231451
	Length (mm): 1546, Version: Straight	32201551
	Length (mm): 1646, Version: Straight	32201652
	Grease waterproof 400 g - PU = 24 pcs	95206000
	Steel tube galv narrowed	
	PU: Bunch	38012641
	PU: loose	38012644

Image	Name	Productnumber
	Swivel pulley 50	
	PU (Pcs): 1, Version: Single	01200100-1
	PU (Pcs): 1, Version: Double	01200200-1
	PU (Pcs): 25, Version: Single	01200100
	PU (Pcs): 25, Version: Double	01200200
	Bolted chain coupling for RW45 - tube	37037100
	Steel tube, galvanized 1"	
	PU: Bunch	38012601
	PU: loose	38012600

Image	Name	Productnumber
	TRN 520-3S-H60 Geh	32400160
	diabolo-roll 27.32 with stamped metal housing	
	PU (Pcs): 1	04200400-1
	PU (Pcs): 50	04200400
	Rack Ridder m4/b16	
	Length (mm): 1050	31161050
	Length (mm): 1250	31161250
	Length (mm): 1400	31161400
	Length (mm): 1550	31161550

Image	Name	Productnumber
	coupling unit PH40\B27x1.5\ST - to connect rack PH 40-3 with push-pull tube d. 27 mm	
	Size Ø: 27	32300100
	Size Ø: 32	32300099
	Coupling plate for RackDrive 700 and TRN rack drives - Tube	32211627
	Steel tube galv. narrowed, 1" / 2,5mm / L= 6,50 m	
	PU: Bunch	38012642
	PU: loose	38012646
	Steel tube - 32/1,5, galvanized, swaged - 6500 mm	
	PU: Bunch	03032642


Image	Name	Productnumber
	PU: loose	03032640
	Guide roller for 20 mm lifting belts	04200120
	Sleeve coupling P26.5	32300200
	Pinion house unit Ridder TU21-40 - Ridder Art.-Nr.: 500040	32200021
	Grease waterproof 1 L	32200009
	Grease waterproof 400 g.	32200011


Image	Name	Productnumber
	weld/sleeve coupling P26.5\B5/4"\ST\L44mm\WELD	32300098
	Mounting plate 85-105/H90 / 417636	32111203
	Worm drive 1:40	
	Working length (m): 2	25000705
	Working length (m): 4	25000706
	Manual Gear R9E-TGU for small application - with locking device - 1:8	25000507


Image	Name	Productnumber
	RPU 24V\4-20mA\V2\SET	32200027
	Diabolo roll 27.32 - with stamped metal bracket sideguides	
	PU (Pcs): 1	04200300-1
	PU (Pcs): 50	04200300
	Motor gearbox RW 245 400-460Volt/3-Phase/3 rpm	32435380
	TRN 520-3S-H40 pinion house unit /Ridder/ H= 40mm	32400140


Image	Name	Productnumber
	Weld/sleeve coupling 1" - for 1" - tubular shaft P26.5\B1\L40\WELD	32300103
	Handle (200 mm) for manual gear R8 and R16	25000502
	Lock EWA 12.2505 / 250 Nm / 400 V - 4,4 rpm - We 06	31147725
	Motor gearbox Ridder RW403\400-450 Volt - 400- 450 V - 3 Phase / 3 rpm - Ridder Art.-Nr.: 502210	32535381
	Mounting plate 105- 130\B163 / 413922	32111201

Image	Name	Productnumber
	Motor gearbox Ridder RW45-3-09\230\1\97	32013220
	Manual Gear R17E-TGU for small application - with locking device - 1:16	25000501
	Manual Gear R41-1P TGU for small application - with locking device - 1:40	25000506
	Motor gearbox Ridder RW 45-5\400-450 Volt	32035220
	Motor gearbox Ridder RW 241-09/400/3/86//IP55	32035227


Image	Name	Productnumber
	Power drive Lock EWA 10.0505 50 Nm 5,6 U/min - Welle 06 400V - 12210.0505.06	31600506
	Grease waterproof 5 Kg	32200003
	Lock EWA 12.2505 / 250 Nm / 400 V - 4,4 rpm - We 66	31147728
	Lock EWA 12.1505 150 Nm / 400 V / 50 Hz / E20 - 4,3 rpm - We 06	31147732
	Lock chain coupling KKS 10 - 20610.6681.34	31600700





Image	Name	Productnumber
	Lock EWA 12.1505 / 150 Nm / 400 V / 50 Hz / E20 - 4,3 rpm - We 66	31147731
	Mounting plate 85-105/H120 / 417643	32111204
	Lock EWA 10.0905 We06 400V END20.20	31147730
	Motor gearbox Ridder RW 245-37\110-115	32035224
	Motor mounts 2.2 for motor gearbox Ridder RW 45 on TGU-systems	32135145




Image	Name	Productnumber
	Motor gearbox Ridder RW 45-1-09\400\3\97	32035229
	Motor gearbox RW 243 400-460Volt/3-Phase/3 rpm	32435381
	Diabolo roll 27.32 Set 3 with variable mounting plate	
	PU (Pcs): 1	04200500-1
	PU (Pcs): 50	04200500
	Worm drive 1:16	
	Working length (m): 2	25000700
	Working length (m): 4	25000701


Image	Name	Productnumber
	Motor gearbox Ridder RW 45-1-09\230\1\97	32035228
	Lock KGO 32.1115 150Nm - 1:1 - We 73	31600519
	Insect protection screen - no thrips 0,163 x 0,163 mm weight: 132 g/m	05323220
	Bearing plate 34 mm (60 mm tube) - PU = 60 pcs	24100300
	Cable pulley 52/4 mm with holder for lifting / lowering heater	
	PU (Pcs): 1	04400094-1
	PU (Pcs): 25	04400094

Image	Name	Productnumber
	Diabolo roll 27.32	
	PU (Pcs): 1	04200301-1
	Mounting plate 105-130\B163 / 413922	32111207
	EWA 52.2505 Electric drive 250 Nm 4,4 rpm We06 400 V	31147753
	EWA 52.3505 Electric drive 350 Nm 4,4 rpm We66 400 V	31147757

Image	Name	Productnumber
 WE 06 WE 66	EWA 52.2505 Electric drive 250 Nm 4.4 rpm We66 400V 50Hz	31147746
 WE 06 WE 66	Lock EWA 52.6005 600 Nm 4,4 rpm We66 400 V	31147755
 WE 06 WE 66	EWA 52.3505 Electric drive 350 Nm 4.4 rpm We06 400 V	31147752
 WE 06 WE 66	EWA 52.3505 Electric drive 350 Nm 4,4 rpm We66 400 V	31147756
 WE 06 WE 66	EWA 52.4505 Electric drive 450 Nm 4,4 rpm We06 400 V	31147754

Image	Name	Productnumber
	Lock EWA 50.1505 150 Nm 4,5 rpm We66 400V 50Hz	31147745
	Lock EWA 50.1505 150 Nm 4,5 rpm We66 400V 50Hz Kopie	31147749
	EWA 50.0905 Electric drive 90 Nm 4.5 rpm We06 400V 50Hz	31147748
	EWA 50.0505 Electric drive 50 Nm 4,5 rpm We06 400V 50Hz	31147747
	Motor Gearbox RW245- 37/400-450 Fett (Teleskop) Eco / 532259	32535384


Image	Name	Productnumber
	TGU Shaft Bearing 1" - Retrofit Kit	
	Version: H125	24100510
	Version: H62	24100511
	Version: H80	24100512
	Lock EWA 12.1509 / 150 Nm / 400 V - 8,8 rpm. - We 66	31147724
	Lock EWA / 14.3505 / 350 Nm / 400 V - 4,4 rpm - Welle 66 (6-kant)	31147744
	Rack Ridder m4/b20	
	Length (mm): 1050	31201050
	Length (mm): 1250	31201250


Image	Name	Productnumber
	Length (mm): 1400	31201400
	Length (mm): 1550	31201550
	Length (mm): 1700	31201700
	slide bearing plate straight B5/4"	
	Length: B055\L090, Version: Straight	32260055
	Length: B160\L200, Version: Straight	32260158
	Length: B178\L213, Version: Straight	32260178
	Length: H070\L105, Version: Right-angled	32261070
	Length: H090\L125, Version: Right-angled	32261090
	Length: H100\L135, Version: Right-angled	32261100
	Length: H133\L168, Version: Right-angled	32261133
	Length: H153\L188, Version: Right-angled	32261153
	aircraft cable galv.7x7 4 mm x 500 m	

Image	Name	Productnumber
	Length (m): 100	40001004
	Length (m): 500	40010004
	Protection Cover - 2-parts for RW 45	04200311
	Protection Cover - 2-parts for RW 200-600	04200310
	Motor Control Unit RMC400\400\3\0,4-0,6 A	35053222
	TR25I/46- S750\L3000\GABEL	32400200





Image	Name	Productnumber
	Pinion house protection cover - PU = 25 pcs	32200002
 We 06 Wl 250 mm Achtung Abbildung mit Welle 66, nicht mit Welle 06	Lock EWA / 14.3505 / 350 Nm / 400 V - 4,4 rpm 400V - We 06	31147743
	aircraft cable galv. 7x7 5 mm x 500 m	
	Length (m): 100	40001005
	Length (m): 500	40010005
	Safety cover for racks - Extension 50 cm	32200103

Image	Name	Productnumber
	Motor gearbox RW603\400-450 Volt - 400-450 V	32435382
	Handle for Manual Gear LG MT	
	Length (cm): 120	25000605
	Bolted chain coupling for RW45 - tube	37037125
	Diaboloroll for 42 mm tube	04200119

Image	Name	Productnumber
	Plug, small for pinion house	32200005
	Motor gearbox Ridder RW 241-09\110-115	32035223
	Grommet 8.8 - push pull guide - PU = 100 pcs	22000140