

Overview

Rack 30-3\792 mm \ Ridder **TU11-30**

Product number: 32300899



Fiberlane LLC - 9254 Richmond Road - 18013

Bangor, PA

Tel.: +1 610 498 447 4 Fax.: +1 610 498 2602

email: info(at)fiberlanellc.com

Created at 27.10.2025.



Fiberlane LLC - 9254 Richmond Road - 18013

Bangor, PA

Tel.: +1 610 498 447 4 Fax.: +1 610 498 2602

email: info(at)fiberlanellc.com

Created at 27.10.2025.

Fiberlane LLC - 9254 Richmond Road - 18013 Bangor, PA Tel.: +1 610 498 447 4 Fax.: +1 610 498 2602 email:

info(at)fiberlanellc.com



Options

Length (mm)

691

792

892

1043

1244

1345

1445

1546

1646

1747

1847

1948

2048

2249

2450

3204

4210

5316

Version

Curved, inside toothed



Fiberlane LLC - 9254 Richmond Road - 18013

Bangor, PA

Tel.: +1 610 498 447 4 Fax.: +1 610 498 2602 email:

info(at)fiberlanellc.com

Description

• Application: Standard ventilation systems in all types of greenhouses

• Material: Galvanized steel sheet

• Length: 792 mm

• Design: Straight, with toothless end for safety stop

• Compatibility: Precisely matched to pinion housing TU 11:30

• Tooth height: 30 mm • Ridder Article No.: 418546

The Rack 30-3 / L792 mm is designed for use in greenhouse ventilation systems. It features a toothless end for a secure stop and is supplied with integrated run-out protection (UV=77) as standard. Custom lengths available on request.