Fiberlane LLC.
9254 Richmond Road
US - 18013 - Bangor, PA
USA

Contact:
Telefon: +1 610 498 4474
Fax: +1 610 498 2602
E-Mail:
info@fiberlanellc.com

Overview

Lock EWA / 14.3505 / 350 Nm / 400 V - 4,4 rpm 400V - We 06

Lock GmbH

Product number: 31147743



Achtung Abbildung mit Welle 66, nicht mit Welle 06

All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.

Fiberlane LLC.
9254 Richmond Road
US - 18013 - Bangor, PA
USA

Contact:
Telefon: +1 610 498 4474
Fax: +1 610 498 2602
E-Mail:
info@fiberlanellc.com

Description

Note: This gear motor is no longer being produced. As an alternative, we recommend the Lock EWA 52.3505 350 Nm 4.4 rpm We06 400 V

- **Application:** Drive unit for horizontal shading systems in greenhouses
- **Torque:** 350 Nm
- **Voltage:** 400 V, 3~, 50 Hz
- **Speed:** 4.4 revolutions per minute
- **Power:** 0.25 kW
- **Current:** 2.00 A
- **Shaft:** Type 06
- **Limit switch:** Precision gear limit switch END 20 for 580 shaft revolutions
- **Features:**
  - Extremely quiet, self-locking double worm gear
  - Maintenance-free and long-lasting
  - Universal mounting: rear (standard) or optionally left-side (symmetrical)
  - Wiring via 7-core cable

The **Lock EWA 14.3505** is a robust gear motor for horizontal shading systems. With 350 Nm torque and a quiet, self-locking double worm gear, it ensures reliable and low-noise operation. Its integrated limit switch and flexible mounting options make it ideal for demanding greenhouse installations.

Product information

Drive shaft:	Round shaft (06)
Phase(s):	3
Revolutions per minute:	4,4
Torque (Nm):	350
Voltage (V):	400

All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.