

Overview

Rack 22-3\L691mm\Ridder TU11-22 - curved, inside toothing

Product number: 32220696



Fiberlane LLC - 9254
Richmond Road - 18013
Bangor, PA

Tel.: +1 610 498 447 4
Fax.: +1 610 498 2602

email:
info(at)fiberlanellc.com



Fiberlane LLC - 9254
Richmond Road - 18013
Bangor, PA

Tel.: +1 610 498 447 4
Fax.: +1 610 498 2602

email:
[info\(at\)fiberlanellc.com](mailto:info(at)fiberlanellc.com)

Options

Length (mm)

390

490

591

691

741

792

842

892

1043

1244

1345

1445

1546

1646

Version

Curved, inside toothed

Curved, outside toothed

Straight

Description

This rack is especially suitable for light-weight ventilation in poly tunnels and -greenhouses.

The rack is curved and inside-toothed. Thanks to this construction the rack gets not so deeply into greenhouse allowing other components to be installed at a higher level.

The end piece of the rack has no teeth. This enables a security stop as soon as the vent has opened to the maximum. It also stops the rack from getting pushed out.

The rack is precisely fitted to the pinion housing TU 11:22 and therefore very durable.

The product can be delivered in several lengths.

Height of the teeth: 22 mm

Material: galvanized steel

Ridder Art.-Nr.: 418208