

Overview

Lock EWA 12.2505 / 250 Nm / 400 V - 4,4 rpm - We 66

Product number: 31147728



Description

- Application: Drive unit for horizontal shading systems in greenhouses
- Torque: 250 Nm
- **Voltage:** 400 V, 3~, 50 Hz
- Speed: 4.4 revolutions per minute
- Power: 0.30 kW • Current: 1.10 A
- Shaft: Type 66 (hexagonal)
- Limit switch: Precision gear limit switch END 20 for 580 shaft revolutions



Fiberlane LLC - 9254 Richmond Road - 18013

Bangor, PA

Tel.: +1 610 498 447 4 Fax.: +1 610 498 2602 email:

info(at)fiberlanellc.com

• Features:

- o Extremely quiet, self-locking double worm gear
- Maintenance-free and long-lasting
- o Universal mounting: rear (standard) or optionally left-side (symmetrical)
- Wiring via 7-core cable

The **Lock EWA 12.2505** is a powerful gear motor specifically designed for horizontal shading systems in greenhouses. With 250 Nm torque and a speed of 4.4 rpm, it ensures precise and reliable control of screen movement.

Its extremely quiet, self-locking double worm gear offers long service life without maintenance. The integrated precision gear limit switch END 20 enables accurate control with up to 580 shaft revolutions. Thanks to universal mounting options, the motor can be installed at the rear or optionally on the left side, making it adaptable to various system configurations.