

Overview

Rack 30-3\892 mm \ Ridder **TU11-30**

Product number: 32300898



Fiberlane LLC - 9254 Richmond Road - 18013

Bangor, PA

Tel.: +1 610 498 447 4 email: Fax.: +1 610 498 2602 info(at

info(at)fiberlanellc.com

Created at 19.10.2025.



Fiberlane LLC - 9254 Richmond Road - 18013

Bangor, PA

Tel.: +1 610 498 447 4 email: Fax.: +1 610 498 2602 info(at

info(at)fiberlanellc.com

Created at 19.10.2025.

Fiberlane LLC - 9254 Richmond Road - 18013 Bangor, PA Tel.: +1 610 498 447 4 Fax.: +1 610 498 2602 email:

info(at)fiberlanellc.com



Options

Length (mm)

691

792

892

1043

1244

1345

1445

1546

1646

1747

1847

1948

2048

2249

2450

3204

4210

5316

Version

Curved, inside toothed



Fiberlane LLC - 9254 Richmond Road - 18013

Fax.: +1 610 498 2602 Bangor, PA

Tel.: +1 610 498 447 4

email:

info(at)fiberlanellc.com

Description

• Application: Standard ventilation systems in all types of greenhouses

• Material: Galvanized steel sheet

• Length: 892 mm

• Design: Straight, with toothless end for safety stop

• Compatibility: Precisely matched to pinion housing TU 11:30

• Tooth height: 30 mm • Ridder Article No.: 418548

The Rack 30-3 / L892 mm is a robust and reliable solution for greenhouse ventilation. The toothless end ensures a secure stop at full opening and prevents the rack from being pushed out. Delivered with integrated run-out protection (UV=77) as standard.