

Bangor, PA

 Fiberlane LLC - 9254
 Tel.: +1 610 498 447 4

 Richmond Road - 18013
 Fax.: +1 610 498 2602

email: info(at)fiberlanellc.com

Overview

## Slide bearing plate B1" Straight - B1\B062\L092

Product number: 32250062

Created at 28.06.2025. \* Our offers are directed exclusively to companies. We do not conclude contracts with consumers. All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.



Fiberlane LLC - 9254 Richmond Road - 18013 Bangor, PA Tel.: +1 610 498 447 4 Fax.: +1 610 498 2602 email: info(at)fiberlanellc.com

Created at 28.06.2025. \* Our offers are directed exclusively to companies. We do not conclude contracts with consumers. All prices excl. VAT plus <u>shipping costs</u> and possible delivery charges, if not stated otherwise.



Fiberlane LLC - 9254 Richmond Road - 18013 Bangor, PA Tel.: +1 610 498 447 4 Fax.: +1 610 498 2602 email: info(at)fiberlanellc.com

Created at 28.06.2025. \* Our offers are directed exclusively to companies. We do not conclude contracts with consumers. All prices excl. VAT plus <u>shipping costs</u> and possible delivery charges, if not stated otherwise.



Bangor, PA

 Fiberlane LLC - 9254
 Tel.: +1 610 498 447 4

 Richmond Road - 18013
 Fax.: +1 610 498 2602

email: info(at)fiberlanellc.com





## Version

**Right-angled** 

Straight

Created at 28.06.2025.

\* Our offers are directed exclusively to companies. We do not conclude contracts with consumers. All prices excl. VAT plus shipping costs and possible delivery charges, if not stated otherwise.



Fiberlane LLC - 9254 Richmond Road - 18013 Bangor, PA Tel.: +1 610 498 447 4 Fax.: +1 610 498 2602 email: info(at)fiberlanellc.com

## Description

The support plate works as a bearing for 34 mm drive shafts in greenhouses. It is equipped with straight mounting holes.

Thanks to built -in slide bearing, which is constructed with a centred bronze ring, this support plate is very durable and suitable for applications under heavy weights. In addition this slide bearing functions as a substitute for grease.

Material: Galvanized steel

Mounting height: Lower edge to middle of drive shaft 62 mm

Ridder Art.-Nr.: 503086